Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	84	713/190.ccls. and ((en$crypt$ en$cipher$) with (user$2 client$2 receiver$2 recipient$ employee$2))	US-PGPUB; USPAT	OR	OFF	2006/01/19 20:06
S11	20993	(encrypt$ encipher$) with (user$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:25
S12	1290	(encrypt$ encipher$) with ((particular specific per) near3 (user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:28
S13	535	((encrypt$ encipher$) near3 (method$3 process$3 algorithm$3 key$3)) with ((particular specific per) near3 (user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:32
S14	157	((encrypt$ encipher$) near3 (method$3 process$3 algorithm$3)) with ((particular specific per) near3 (user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:32
S15	115	((encrypt$ encipher$) near3 (method$3 process$3 algorithm$3)) with ((particular specific per) near1 (user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:32
S16	101	((encrypt$ encipher$) near2 (method$3 process$3 algorithm$3)) with ((particular specific per) near1 (user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:33
S17	75	((encrypt$ encipher$) near1 (method$3 process$3 algorithm$3)) with ((particular specific per) near1 (user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:51
S18	16	S17 and (e$mail$3 e$messag$3 (electronic near1 messag$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:51
S20	83	((encrypt$ encipher$) near1 (parameter$2 attribute$3 method$3 process$3 algorithm$3)) with ((particular specific per) near1 (user$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 18:51

S21	18	S20 and (e$mail$3 e$messag$3 (electronic near1 messag$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:14
S22	219	outlook and (e$mail$3 e$messag$3 (electronic near1 messag$3)) and (user$3 near2 folder$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:15
S23	76	S22 and (en$crypt$ en$cipher$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:44
S24	4246	server with ((en$crypt$ en$cipher$) near5 (user$3 client$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:45
S25	2066	server with ((en$crypt$ en$cipher$) near2 (user$3 client$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:45
S26	756	(server with ((en$crypt$ en$cipher$) near2 (user$3 client$3))) and (e$mail$3 e$messag$4 (electronic near3 (tranmi$ messag$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:28
S27	678	S26 and ((transmi$ send$4) same (en$crypt$ en$cipher$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:48
S28	620	S26 and ((transmi$ send$4) with (en$crypt$ en$cipher$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:48
S29	50	S26 and ((transmi$ send$4) with ((en$crypt$ en$cipher$) near (document$ file$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:49
S30	86	S26 and ((transmi$ send$4) with ((en$crypt$ en$cipher$) near3 (document$ file$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:50

S31	76	S26 and ((transmi$ send$4) with ((en$crypt$ en$cipher$) near2 (document$ file$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:50
S32	50	S26 and ((transmi$ send$4) with ((en$crypt$ en$cipher$) near1 (document$ file$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:52
S33	54	S26 and ((transmi$ send sends sending sent) with ((en$crypt$ en$cipher$) near1 (document$ file$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:04
S34	6	S33 not S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 19:54
S35	31	S26 and (server with (transmi$ send sends sending sent) with ((en$crypt$ en$cipher$) near1 (document$ file$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:04
S36	757	(server with ((en$crypt$ en$cipher$) near2 (employee$ user$3 client$3))) and (e$mail$3 e$messag$4 (electronic near3 (tranmi$ messag$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:29
S37	1	S36 not S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:29
S42	231	encrypt$ near3 unique near3 user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:31
S43	165	encrypt$ near3 (key technique process) near3 unique near3 user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:32
S44	108	encrypt$ near1 (key technique process) near3 unique near3 user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:32

S45	63	encrypt$ near1 (key technique process) near1 unique near3 user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:32
S46	62	S45 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 20:36
S47	46	S46 and ($messag$4 $mail$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 14:22
S48	58	("5235702" "5586313" "5907848" "6246991" "6574634" "6725220" "6826539" "6992720" "20020111834" "20030088443" "20050080649" "20050182666" "20050182667" "6792544" "5473691" "5553083" "5701484" "5751970" "5805810" "5903723" "6085251" "6092101" "6098180" "6161161" "6192407" "6192412" "6282565" "6327611" "6370567" "6385595" "6615383" "20010037464" "20020046250" "20020184224" "6539404" "6272485" "6073142" "6385644" "5838916" "5930478" "5987510" "6073180" "672521" "20020049853" "20020099788" "20030088688" "5053945" "5343480" "6085251" "6092198" "6192412" "6292790" "6460087" "6401239" "20020104022" "20010018702" "20020174220" "20020026481" "20030084123" "20020133624" "20040133699" "20030191811").pn.	US-PGPUB; USPAT	OR	OFF	2006/01/19 14:38
S49	46	S48 and ($messag$4 $mail$4)	US-PGPUB; USPAT	OR	OFF	2006/01/19 14:38
S50	13	S49 and ((en$crypt$ en$cipher$) with (user$2 client$ employee$ person$))	US-PGPUB; USPAT	OR	OFF	2006/01/19 14:41
S51	14	S49 and ((en$crypt$ en$cipher$) with (user$2 client$ employee$ person$ recipient$2 receiver$2))	US-PGPUB; USPAT	OR	OFF	2006/01/19 20:05